Zenodo Cite Documentation

Release 0.1.0

Sebastian Weigand

CONTENTS:

1	Zenodo Cite	1
	1.1 Features	1
2	Installation	3
	2.1 Stable release	
	2.2 From sources	-
3	Usage	5
4	Contributing	7
	4.1 Types of Contributions	7
	4.2 Get Started!	8
	4.3 Pull Request Guidelines	
	4.4 Tips	
	4.5 Deploying	Ģ
5	History	11
	5.1 0.1.0 (2020-08-11)	11
6	Indices and tables	13

ONE

ZENODO CITE

Tool to generate a version sensitive citation for your software published on zenodo

- Free software: Apache Software License 2.0
- Documentation: https://zenodo-cite.readthedocs.io.

1.1 Features

• TODO

TWO

INSTALLATION

2.1 Stable release

To install Zenodo Cite, run this command in your terminal:

```
$ pip install zenodo_cite
```

This is the preferred method to install Zenodo Cite, as it will always install the most recent stable release.

If you don't have pip installed, this Python installation guide can guide you through the process.

2.2 From sources

The sources for Zenodo Cite can be downloaded from the Github repo.

You can either clone the public repository:

```
$ git clone git://github.com/s-weigand/zenodo-cite
```

Or download the tarball:

```
$ curl -OJL https://github.com/s-weigand/zenodo-cite/tarball/master
```

Once you have a copy of the source, you can install it with:

```
$ python setup.py install
```

CHAPTER THREE

USAGE

To use Zenodo Cite in a project:

import zenodo_cite

6 Chapter 3. Usage

FOUR

CONTRIBUTING

Contributions are welcome, and they are greatly appreciated! Every little bit helps, and credit will always be given. You can contribute in many ways:

4.1 Types of Contributions

4.1.1 Report Bugs

Report bugs at https://github.com/s-weigand/zenodo-cite/issues.

If you are reporting a bug, please include:

- Your operating system name and version.
- Any details about your local setup that might be helpful in troubleshooting.
- Detailed steps to reproduce the bug.

4.1.2 Fix Bugs

Look through the GitHub issues for bugs. Anything tagged with "bug" and "help wanted" is open to whoever wants to implement it.

4.1.3 Implement Features

Look through the GitHub issues for features. Anything tagged with "enhancement" and "help wanted" is open to whoever wants to implement it.

4.1.4 Write Documentation

Zenodo Cite could always use more documentation, whether as part of the official Zenodo Cite docs, in docstrings, or even on the web in blog posts, articles, and such.

4.1.5 Submit Feedback

The best way to send feedback is to file an issue at https://github.com/s-weigand/zenodo-cite/issues.

If you are proposing a feature:

- Explain in detail how it would work.
- Keep the scope as narrow as possible, to make it easier to implement.
- Remember that this is a volunteer-driven project, and that contributions are welcome:)

4.2 Get Started!

Ready to contribute? Here's how to set up zenodo_cite for local development.

- 1. Fork the zenodo-cite repo on GitHub.
- 2. Clone your fork locally:

```
$ git clone git@github.com:your_name_here/zenodo_cite.git
```

3. Install your local copy into a virtualenv. Assuming you have virtualenvwrapper installed, this is how you set up your fork for local development:

```
$ mkvirtualenv zenodo_cite
$ cd zenodo-cite/
$ pip install -e .
```

4. install the pre-commit and pre-push hooks:

```
$ pre-commit install && pre-commit install -t pre-push
```

5. Create a branch for local development:

```
$ git checkout -b name-of-your-bugfix-or-feature
```

Now you can make your changes locally.

6. When you're done making changes, check that your changes pass flake8 and the tests, including testing other Python versions with tox:

```
$ tox
```

To get flake8 and tox, just pip install them into your virtualenv.

7. Commit your changes and push your branch to GitHub:

```
$ git add .
$ git commit -m "Your detailed description of your changes."
$ git push origin name-of-your-bugfix-or-feature
```

8. Submit a pull request through the GitHub website.

4.3 Pull Request Guidelines

Before you submit a pull request, check that it meets these guidelines:

- 1. The pull request should include tests.
- 2. If the pull request adds functionality, the docs should be updated. Put your new functionality into a function with a docstring, and add the feature to the list in README.md.
- 3. The pull request should work for Python 3.5, 3.6, 3.7 and 3.8, and for PyPy. Check https://github.com/s-weigand/zenodo-cite/actions and make sure that the tests pass for all supported Python versions.

4.4 Tips

To run a subset of tests:

```
$ pytest tests.test_zenodo_cite
```

4.5 Deploying

A reminder for the maintainers on how to deploy. Make sure all your changes are committed (including an entry in HISTORY.rst). Then run:

```
$ bump2version patch # possible: major / minor / patch
$ git push --follow-tags
```

Travis will then deploy to PyPI if tests pass.

FIVE

HISTORY

5.1 0.1.0 (2020-08-11)

• First release on PyPI.

12 Chapter 5. History

SIX

INDICES AND TABLES

- genindex
- modindex
- search